




FRAMING PLAN

## NOTES

ROOF SNOW LOAD ( $p_f$ ): MAX. 126 PSF USING MAX  $P_g=100$  psf, ASCE 7-05 SNOWLOADING & ADDITIONAL FOS: 1=1.5

ALL DIMENSIONS ARE TO BE VERIFIED BY THE CONTRACTOR PRIOR TO FABRICATION/CONSTRUCTION.

FRAMING LUMBER TO BE DOUGLAS FIR #2 OR BETTER.

PLYWOOD SHALL BE PER AMERICAN PLYWOOD ASSOCIATION SPECS.

ALL FRAMING DEVICES ARE SIMPSON "STRONG-TIE" CONNECTIONS. INSTALL DEVICES AND FILL ALL NAIL HOLES PER MANUFACTURER'S LITERATURE.

ALL NAILS SHALL BE COMMON. FOR NAILING NOT NOTED REFER TO IBC TABLE 2304.9.1. ALL NAILS INTO PRESSURE TREATED WOOD TO BE HOT DIPPED GALVANIZED.

FOR FRAMING DETAILS NOT SHOWN REFER TO IBC "CONVENTIONAL FRAMING" PROVISIONS.

MEMBERS IN CONTACT WITH CONCRETE OR MASONRY SHALL BE PRESSURE TREATED OR FOUNDATION GRADE REDWOOD. DO NOT PLACE ANY WOOD MEMBERS IN CONTACT WITH THE EARTH.

PLYWOOD SHEAR WALL PANEL VENEERS SHALL NOT BE BROKEN OR CRUSHED UPON THE INSTALLATION OF SHEAR WALL NAILING.

EXTERIOR FINISH OR SIDING OVER PANELS TO BE DETERMINED BY OWNER.

A SNOW SHED WILL HELP PREVENT SNOW AND ICE ACCUMULATION, BUT IS IS NOT A SUBSTITUTE FOR THE UPKEEP AND MAINTENANCE OF THE ADJOINING RESIDENCE OR STRUCTURE. IT IS IMPORTANT TO KEEP GUTTERS FREE OF LEAVES AND DEBRIS, INCLUDING THOSE ABOVE OR NEAR THE NATURAL GAS METER. ALSO, NO SHED WILL PROTECT AGAINST FALLING ICE SHEETS, SO CARE MUST BE TAKEN TO PREVENT THE ACCUMULATION OF ICE THAT COULD RESULT IN AN ICE FALL.

## SOUTHWEST GAS METER SHED

Pg = 100 psf

SOUTHWEST GAS CORP.

APN: VARIES

GARY DAVIS GROUP  
DESIGN AND ENGINEERING

post office box 7409 tahoe city, ca 96145  
tel 530.583.9222 fax 530.583.9294

garydavisgroup.com



### ISSUES & REVISIONS

| No. | Date | Issue & Revision | By | Check |
|-----|------|------------------|----|-------|
|     |      |                  |    |       |
|     |      |                  |    |       |
|     |      |                  |    |       |

Designed By MJA  
Drafted By GS  
Checked By MJA

Client Information SOUTHWEST GAS CORP.  
GLEN SMITH

Project Number 643.10

All drawings and written material appearing herein constitute original and unpublished work of the engineer and may not be duplicated, used or disclosed without written consent of the engineer. © GDG2009


Description

## GAS METER SHED SHED ROOF


Scale 1/2" = 1'-0" U.N.O.  
File 643.10 Meter Shed.dwg  
Plot Date MAY 1, 2009

\$1.0

# 1 OF 1 SHEETS




SIDE ELEVATION



FRONT ELEVATION





## NOTES

ROOF SNOW LOAD (psf): MAX. 126 PSF USING MAX Pg=100 psf, ASCE 7-05 SNOWLOADING & ADDITIONAL FOS: 1=1.5

ALL DIMENSIONS ARE TO BE VERIFIED BY THE CONTRACTOR PRIOR TO FABRICATION/CONSTRUCTION.

FRAMING LUMBER TO BE DOUGLAS FIR #2 OR BETTER.

PLYWOOD SHALL BE PER AMERICAN PLYWOOD ASSOCIATION SPECS.

ALL FRAMING DEVICES ARE SIMPSON "STRONG-TIE" CONNECTIONS. INSTALL DEVICES AND FILL ALL NAIL HOLES PER MANUFACTURER'S LITERATURE.

ALL NAILS SHALL BE COMMON. FOR NAILING NOT NOTED REFER TO IBC TABLE 2304.4.1. ALL NAILS INTO PRESSURE TREATED WOOD TO BE HOT DIPPED GALVANIZED.

FOR FRAMING DETAILS NOT SHOWN REFER TO IBC "CONVENTIONAL FRAMING" PROVISIONS.

MEMBERS IN CONTACT WITH CONCRETE OR MASONRY SHALL BE PRESSURE TREATED OR FOUNDATION GRADE REDWOOD. DO NOT PLACE ANY WOOD MEMBERS IN CONTACT WITH THE EARTH.

PLYWOOD SHEAR WALL PANEL VENEERS SHALL NOT BE BROKEN OR CRUSHED UPON THE INSTALLATION OF SHEAR WALL NAILING.

EXTERIOR FINISH OR SIDING OVER PANELS TO BE DETERMINED BY OWNER.

A SNOW SHED WILL HELP PREVENT SNOW AND ICE ACCUMULATION BUT IS NOT A SUBSTITUTE FOR THE UPKEEP AND MAINTENANCE OF THE ADJOINING RESIDENCE OR STRUCTURE. IT IS IMPORTANT TO KEEP GUTTERS FREE OF LEAVES AND DEBRIS, INCLUDING THOSE ABOVE OR NEAR THE NATURAL GAS METER. ALSO, NO SHED WILL PROTECT AGAINST FALLING ICE SHEETS, SO CARE MUST BE TAKEN TO PREVENT THE ACCUMULATION OF ICE THAT COULD RESULT IN AN ICE FALL.

**SOUTHWEST  
GAS METER SHED**  
SOUTHWEST GAS CORP.  
Pg = 100 psf

**GARY DAVIS GROUP**  
DESIGN AND ENGINEERING



post office box 7409 phone city, ca 96145  
tel 530.583.9222 fax 530.583.9294  
garydavisgroup.com

|                |               |
|----------------|---------------|
| Project Number | 643.10        |
| Designed By    | MA            |
| Drafted By     | GS            |
| Client Name    | SOUTHWEST GAS |
| Client Phone   |               |
| Revisions      |               |

All drawings and written material appearing herein constitute original and unpublished work of the engineer and may not be duplicated, used or disclosed without written consent of the engineer.

Description

## NOTES SHED ROOF

Scale  
File  
Plot Date

1/2" = 1'-0" UNO.  
643.10 Meter Shed.dwg  
MAY 1, 2009

# S1.0A


# 1 OF 4

SHEETS



**SOUTHWEST**  
**GAS METER SHED**  
SOUTHWEST GAS CORP.  
Pg = 100 psf

**GARY DAVIS GROUP**  
DESIGN AND ENGINEERING



post office box 7409  
Tahoe city, ca 96145  
tel 530.583.9222 fax 530.583.9294  
garydavisgroup.com

|                |               |
|----------------|---------------|
| Project Number | 643.10        |
| Designed By    | MA            |
| Drafted By     | GS            |
| Client Name    | SOUTHWEST GAS |
| Client Phone   |               |
| Revisions      |               |


All drawings and written material appearing herein constitute original and unpublished work of the engineer and may not be duplicated, used or disclosed without written consent of the engineer.

**FRONT ELEVATION**  
**SHED ROOF**

Scale 1/2" = 1'-0" UNO.  
File 643.10 Meter Shed.dwg  
Plot Date MAY 1, 2004

**S1.0B**

# 2 OF 4 SHEETS



**FRONT ELEVATION**






5/1/09

5/1/09

**SOUTHWEST**  
**GAS METER SHED**  
SOUTHWEST GAS CORP.  
Pg = 100 psf

**GARY DAVIS GROUP**  
DESIGN AND ENGINEERING



post office box 7409  
torrance city, ca 90505  
tel 530.583.9222  
garydavisgroup.com


|                |               |
|----------------|---------------|
| Project Number | 643.10        |
| Designed By    | MA            |
| Drafted By     | GS            |
| Client Name    | SOUTHWEST GAS |
| Client Phone   |               |
| Revisions      |               |

All drawings and written material appearing herein constitute original and unpublished work of the engineer and may not be duplicated, used or disclosed without written consent of the engineer.

# SIDE ELEVATION SHED ROOF

Scale 1/2" = 1'-0" U.N.O.  
File 643.10 Meter Shed.dwg  
Plot Date MAY 1, 2009


# \$1.00



## SIDE ELEVATION

# SOUTHWEST GAS METER SHED SOUTHWEST GAS CORP. Pg = 100 psf

GARY DAVIS GROUP  
DESIGN AND ENGINEERING



post office box 7409    lake city, ca 96145  
tel 530.583.9222    fax 530.583.9294  
garydavisgroup.com

|                |               |
|----------------|---------------|
| Project Number | 643.10        |
| Designed By    | MA            |
| Drafted By     | GS            |
| Client Name    | SOUTHWEST GAS |
| Client Phone   |               |
| Revisions      |               |

All drawings and written material appearing herein constitute original and unpublished work of the engineer and may not be duplicated, used or disclosed without written consent of the engineer.

Description




## FRAMING PLAN SHED ROOF

Scale  
File  
Plot Date

1/2" = 1'-0" UNO.  
643.10 Meter Shed.dwg  
MAY 1, 2009

# \$1.0D

# 4 OF 4 SHEETS



## FRAMING PLAN

