

OF 1 SHEETS



5/1/09



5/1/09

NOTES

ROOF SNOW LOAD (p_f): MAX. 687 PSF PER PLACER COUNTY, 7501 FT & UP, TABLE A-16-C ADDITION TO IBC SECTION 1608. ADDITIONAL FOS: 1=1.5.

ALL DIMENSIONS ARE TO BE VERIFIED BY THE CONTRACTOR PRIOR TO FABRICATION/CONSTRUCTION.

FRAMING LUMBER TO BE DOUGLAS FIR #2 OR BETTER.

PLYWOOD SHALL BE PER AMERICAN PLYWOOD ASSOCIATION SPECS.

ALL FRAMING DEVICES ARE SIMPSON "STRONG-TIE" CONNECTIONS. INSTALL DEVICES AND FILL ALL NAIL HOLES PER MANUFACTURER'S LITERATURE.

ALL NAILS SHALL BE COMMON. FOR NAILING NOT NOTED REFER TO IBC TABLE 2304.4.1. ALL NAILS INTO PRESSURE TREATED WOOD TO BE HOT DIPPED GALVANIZED.

FOR FRAMING DETAILS NOT SHOWN REFER TO IBC "CONVENTIONAL FRAMING" PROVISIONS.

MEMBERS IN CONTACT WITH CONCRETE OR MASONRY SHALL BE PRESSURE TREATED OR FOUNDATION GRADE REDWOOD. DO NOT PLACE ANY WOOD MEMBERS IN CONTACT WITH THE EARTH.

PLYWOOD SHEAR WALL PANEL VENEERS SHALL NOT BE BROKEN OR CRUSHED UPON THE INSTALLATION OF SHEAR WALL NAILING.


EXTERIOR FINISH OR SIDING OVER PANELS TO BE DETERMINED BY OWNER.

A SNOW SHED WILL HELP PREVENT SNOW AND ICE ACCUMULATION, BUT IS NOT A SUBSTITUTE FOR THE UPKEEP AND MAINTENANCE OF THE ADJOINING RESIDENCE OR STRUCTURE. IT IS IMPORTANT TO KEEP GUTTERS FREE OF LEAVES AND DEBRIS, INCLUDING THOSE ABOVE OR NEAR THE NATURAL GAS METER. ALSO, NO SHED WILL PROTECT AGAINST FALLING ICE SHEETS, SO CARE MUST BE TAKEN TO PREVENT THE ACCUMULATION OF ICE THAT COULD RESULT IN AN ICE FALL.

SOUTHWEST GAS METER SHED

Pg = 545 psf

GARY DAVIS GROUP
DESIGN AND ENGINEERING



post office box 7409
tel 530.583.9222
tahoe city, ca 96145
fax 530.583.9294

garydavisgroup.com

Project Number	643.10
Designed By	MA
Drafted By	GS
Client Name	SOUTHWEST GAS
Client Phone	
Revisions	

All drawings and written material appearing herein constitute original and unpublished work of the engineer and may not be duplicated, used or disclosed without written consent of the engineer.

Description

NOTES

GABLE ROOF

Scale

1/2" = 1'-0" U.N.O.

File

643.10 Meter Shed.dwg

Plot Date

MAY 1, 2009

S1.1A


1 OF 4

SHEETS

SOUTHWEST GAS METER SHED

Pg = 545 psf

GARY DAVIS GROUP
DESIGN AND ENGINEERING



post office box 7409 Torrey city, ca 94115
tel 530.583.9222 fax 530.583.9294
garydavisgroup.com

Project Number	643.10
Designed By	MA
Drafted By	GS
Client Name	SOUTHWEST GAS
Client Phone	
Revisions	


All drawings and written material appearing herein constitute original and unpublished work of the engineer and may not be duplicated, used or disclosed without written consent of the engineer.

FRONT ELEVATION GABLE ROOF



Scale 1/2" = 1'-0" UNO.
File 643.10 Meter Shed.dwg
Plot Date MAY 1, 2009

S1.1B

2 OF 4 SHEETS




FRONT ELEVATION



5/1/09


5/1/09



SIDE ELEVATION

**SOUTHWEST
GAS METER SHED**
Pg = 545 psf

**GARY DAVIS GROUP
DESIGN AND ENGINEERING**



post office box 7409 lake city, ca 96145
tel 530.583.9222 fax 530.583.9294
garydavisgroup.com

Project Number	643.10
Designed By	MA
Drafted By	G5
Client Name	SOUTHWEST GAS
Client Phone	
Revisions	

All drawings and written material appearing herein constitute original and unpublished work of the engineer and may not be duplicated, used or disclosed without written consent of the engineer.

**SIDE ELEVATION
GABLE ROOF**


Scale 1/2" = 1'-0" U.N.O.
File 643.10 Meter Shed.dwg
Plot Date MAY 1, 2009

S1.1C

SOUTHWEST GAS METER SHED

Pg = 545 psf

GARY DAVIS GROUP
DESIGN AND ENGINEERING



post office box 7409
tel 530.583.9222
garydavisgroup.com

Project Number	643.10
Designed By	MA
Drafted By	GS
Client Name	SOUTHWEST GAS
Client Phone	
Revisions	


All drawings and written material appearing herein constitute original and unpublished work of the engineer and may not be duplicated, used or disclosed without written consent of the engineer.

FRAMING PLAN GABLE ROOF

Scale 1/2" = 1'-0" UNO.
File 643.10 Meter Shed.dwg
Plot Date MAY 1, 2009

S1.1D

4 OF 4 SHEETS



FRAMING PLAN

